Computer Methods and Programs in Biomedicine, 36 (1991) 255–256
© 1991 Elsevier Science Publishers B.V. All rights reserved 0169-2607/91/$03.50

Subject index

Animal, (36) 237
Archiving and communication systems, (36) 135
Calcium measurement, (36) 199
Calibration, (36) 1
Carbon dioxide production, (36) 27
Classification, (36) 51
Clinical experience, (36) 71
Comparison, (36) 93
Compiled, (36) 237
Complete atrioventricular block monitoring, (36) 163
Computed radiograph, (36) 139
Computer, (36) 237
Computer-aided calibration, (36) 169
Computer methods, (36) 199
Computer program, (36) 163
Cough sounds, (36) 33
CRT-based diagnosis, (36) 85
Data acquisition, (36) 45
Data Base, (36) 177
Data processing, (36) 45
Decision support, (36) 239
Densitometric analysis, (36) 185
Diagnosis, (36) 237
Diagnostic radiology, (36) 157
Diffusion, (36) 93
Digital image database, (36) 113
Digital radiography, (36) 131
ECG monitoring, (36) 163
Evaluation, (36) 85; (36) 93
Feature extraction, (36) 15
Functional residual capacity, (36) 223
Functional specifications, (36) 65
Fura-2, (36) 199
Gastrointestinal, (36) 237
Helminth, (36) 237
HIS, (36) 113
HIS/RIS coupling, (36) 107
Hospital information system, (36) 135
Hospital Information System, (36) 143
Human, (36) 237
Humidity, (36) 27
Hybrid network, (36) 119
Identification, (36) 237
IDRS, (36) 113
IMAC, (36) 65; (36) 103; (36) 131
IMACS, (36) 99
Image analysis, (36) 15
Image compression, (36) 151
Image database, (36) 77
Image filing system, (36) 125
Image interpretation, (36) 157
Image management, (36) 135
Image matrix, (36) 135
Image processing, (36) 151; (36) 191
Image-processing, (36) 199
Image workstation, (36) 139
Information transfer, (36) 151
Inheritance, (36) 239
Interactive signal analysis, (36) 33
Interfacing, (36) 107
ISAC, (36) 125
Job history, (36) 177
Labelling, (36) 15
LabView, (36) 1
LabVIEW, (36) 169
Lung volume, (36) 223
Magneto-optical disk, (36) 125
Masticatory system, (36) 45
Measurement system, (36) 1
Medical image information system, (36) 147
Medical image processing, (36) 99
Medical system, (36) 239
Meningitis, *Haemophilus influenza*, (36) 51
Metabolic rate, (36) 27
Microcomputer, (36) 177
Motion analysis, (36) 15
Multiple breath wash-out, (36) 223
Multivariate criteria, (36) 51
Object-oriented, (36) 239
On-line data processing, (36) 1
Oxygen consumption, (36) 27
PACS, (36) 65; (36) 71; (36) 77; (36) 85; (36) 89; (36) 99; (36) 107; (36) 119; (36) 125; (36) 143; (36) 147
Parasite, (36) 237
Personal computer, (36) 185
Physiological information, (36) 45
Plethysmography, (36) 169
Portable radiographic examination, (36) 113
Professional risks, (36) 177
Program, (36) 237
Pulmonary gas exchange, (36) 223
Pulmonary gas mixing, (36) 223
Radiological/clinical conference, (36) 103
Radiological practice, (36) 89

Radiology, (36) 65; (36) 93; (36) 119
Radiology department organization, (36) 103
Radiology Information System, (36) 143
Real time image processing, (36) 15
Reporting system, (36) 89
Resampling, (36) 191
Respiratory impedance plethysmography, (36) 169
Respitrace, (36) 169
Retrieval simulation, (36) 77
RIS, (36) 113
Scanner, (36) 185
Segmentation, (36) 15
Signal processing, (36) 33
Software engineering, (36) 239
Surveillance, (36) 177
Technology assessment, (36) 93
Teleradiology, (36) 65; (36) 151; (36) 157
Tiff format, (36) 185
TRACS, (36) 107
Transducer, (36) 1
Tree-growing, (36) 51
User requirements, (36) 65; (36) 135
Utilization, (36) 93
Ventilation distribution, (36) 223
Ventilation inhomogeneity, (36) 223
Video image, (36) 119
Video microscopy, (36) 15
Water vapor, (36) 27
Workstation, (36) 147

Computer Methods and Programs in Biomedicine, 36 (1991) 257–259
© 1991 Elsevier Science Publishers B.V. All rights reserved 0169-2607/91/$03.50

Author index

Aalto, J., see Paakkala, T. (36) 157
Abe, M., see Komori, M. (36) 77
Akisada, M., see Kiuru, A. (36) 65
Akisada, M., see Saida, Y. (36) 89
Ando, Y., Ogawa, K. and Hashimoto, S.
Clinical application of a magneto-optical disk image filing system/image save and carry (ISAC) system (36) 125
Anedda, A., see Diaz, G. (36) 185
Anno, I., see Saida, Y. (36) 89
Armstrong, J., see Heathfield, H. (36) 239

Backe, B., see Olsson, S. (36) 93
Boijsen, E., see Olsson, S. (36) 93

Ciampi, A., Du Berger, R., Taylor, H.G. and Thiffault, J.
RECPAM: a computer program for recursive partition and amalgamation for survival data and other situations frequently occurring in biostatistics. III. Classification according to a multivariate construct. Application to data on *Haemophilus influenzae* type b meningitis (36) 51
Coltelli, P., see Gualtieri, P. (36) 15

Danneskiold-Samsøe, B., see Olsson, S. (36) 93
Dawson, K.P., see Thorpe, C.W. (36) 33
Diana, A., see Diaz, G. (36) 185
Diaz, G., Diana, A., Setzu, M., Marchi, A. and Anedda, A.
Density profiles of biological specimens from Tiff files (36) 185
Du Berger, R., see Ciampi, A. (36) 51

Ellis, W.S. and Jones, R.T.
Using LabVIEW to facilitate calibration and verification for respiratory impedance plethysmography (36) 169
Endo, T., see Kusano, S. (36) 113

Feenstra, B.W.A., see Huygen, P.E.M. (36) 223
Fright, W.R., see Thorpe, C.W. (36) 33

Galelli, M., see Moretti, R. (36) 191
Georgsson, G., see Olsson, S. (36) 93
Gualtieri, P. and Coltelli, P.
An image-processing system, motion analysis oriented (IPS-100), applied to microscopy (36) 15
Gustafsson, M. and Magnusson, K.-E.
A distributed image-processing system for measurements of intracellular calcium in living cells (36) 199

Hashimoto, S., see Ando, Y. (36) 125
Heathfield, H., Armstrong, J. and Kirkham, N.
Object-oriented design and programming in medical decision support (36) 239
Heiska, K., see Viitanen, J. (36) 99
Hoehn-Berlage, M. and Wittlich, F.
MACSPEC – a software system for fully automatic processing and analysis of large series of NMR spectra (36) 9
Hoorn, E., see Huygen, P.E.M. (36) 223
Huy-Simon, C., see Mouaddib, A.I. (36) 177
Huygen, P.E.M., Feenstra, B.W.A., Hoorn, E., Jansen, J.R.C. and Zwart, A.
PDPS: A Pulmonary Data Processing System for assessment of gas exchange properties by multiple gas wash-out (36) 223

Ikeda, M., see Sakuma, S. (36) 143
Imai, S., see Takizawa, M. (36) 119
Imai, Y., see Takizawa, M. (36) 119
Inamura, K., see Kuroda, C. (36) 147
Inoue, M., see Kuroda, C. (36) 147
Irie, G. and Miyasaka, K.
HU-PACS. 10 months experience (36) 71
Irie, G., see Terae, S. (36) 151
Ishigaki, T., see Sakuma, S. (36) 143

Jansen, J.R.C., see Huygen, P.E.M. (36) 223
Jones, R.T., see Ellis, W.S. (36) 169
Jonsson, P.M., see Olsson, S. (36) 93
Jørgensen, T., see Olsson, S. (36) 93

Kähärä, V., see Paakkala, T. (36) 157
Kanai, M., see Kusano, S. (36) 113
Kärkkäinen, A., see Viitanen, J. (36) 99
Kimura, I., see Komori, M. (36) 77
Kimura, M.
PACS and patient data management systems (36) 107
Kimura, T., see Saida, Y. (36) 89
Kirkham, N., see Heathfield, H. (36) 239
Kiuru, A., Akisada, M., Okabe, T., Olsson, S. and Saranummi, N.
PACS in Japan and the Nordic Countries. First Japan-Nordic PACS Symposium (36) 65
Kiuru, A., see Viitanen, J. (36) 99
Kivisaari, A., see Korhola, O. (36) 139
Kobayashi, H., see Saida, Y. (36) 89

Komori, M., Nakano, Y., Minato, K., Kimura, I., Okajima, K., Takahashi, T., Abe, M., Konishi, J. and Satoh, K.
Present status and performance of PACS at Kyoto University Hospital (36) 77
Kondoh, H., see Kuroda, C. (36) 147
Konishi, J., see Komori, M. (36) 77
Korhola, O. and Kivisaari, A.
Computed radiography and image workstation from the radiologist's point of view (36) 139
Kormano, M.
User requirements for IMACS (36) 135
Kormano, M., see Olsson, S. (36) 93
Kormano, M., see Viitanen, J. (36) 99
Kozuka, T., see Kuroda, C. (36) 147
Krinke, H.-E., see Poll, R. (36) 163
Kuroda, C., Kondoh, H., Takeda, H., Inoue, M., Inamura, K., Mori, Y. and Kozuka, T.
Planning for PACS at Osaka University Hospital (36) 147
Kusano, S., Okada, Y., Endo, T., Kanai, M. and Murayama, H.
Independent double reading system. Application of digital image management database (36) 113

Laouris, Y., see Reinking, R.M. (36) 1
Leisti, S., see Olsson, S. (36) 93
Lindgren, P.G., see Olsson, S. (36) 93
Loumos, V., see Theodoropoulos, G. (36) 237

Maeda, T., see Yachida, M. (36) 85
Magnusson, K.-E., see Gustafsson, M. (36) 199
Marchi, A., see Diaz, G. (36) 185
Martin, J.M., see Mouaddib, A.I. (36) 177
Maruyama, A., see Takizawa, M. (36) 119
Minato, K., see Komori, M. (36) 77
Miyasaka, K., see Irie, G. (36) 71
Miyasaka, K., see Terae, S. (36) 151
Moretti, R., Galelli, M. and Traino, A.C.
Resampling algorithms for diagnostic radiology (36) 191
Mori, Y., see Kuroda, C. (36) 147
Mouaddib, A.I., Martin, J.M., Robaux, P. and Huy-Simon, C.
A software for the elaboration of Job Histories (36) 177
Murayama, H., see Kusano, S. (36) 113

Nakano, Y., see Komori, M. (36) 77
Nicol, S.C.
MRATE: a Pascal program for on-line calculation of metabolic rate using wet gases (36) 27
Nishimoto, H., see Yachida, M. (36) 85

Ogawa, K., see Ando, Y. (36) 125
Okabe, T., see Kiuru, A. (36) 65
Okada, Y., see Kusano, S. (36) 113
Okajima, K., see Komori, M. (36) 77
Olsen, J.B.
Functional and user requirements for IMACS (36) 131
Olsson, S., Pierre, H., Staf, P., Kormano, M., Svedström, E., Boijsen, E., Lindgren, P.G., Persson, R., Danneskiold-Samsøe, B., Georgsson, G., Jørgensen, T., Backe, B., Jonsson, P.M., Leisti, S. and Torisson, I.
Radiology in the Nordic Countries (36) 93
Olsson, S., see Kiuru, A. (36) 65

Paakkala, T., Aalto, J., Kähärä, V. and Seppänen, S.
Diagnostic performance of a teleradiology system in primary health care (36) 157
Persson, R., see Olsson, S. (36) 93
Piene, H., see Olsson, S. (36) 93
Poll, R. and Krinke, H.-E.
Real time recognition of complete atrioventricular blocks (36) 163

Reinking, R.M., Laouris, Y. and Stuart, D.G.
Measurement systems calibration: microcomputer implementation (36) 1
Robaux, P., see Mouaddib, A.I. (36) 177

Saida, Y., Anno, I., Akisada, M., Kimura, T. and Kobayashi, H.
PACS and the reporting system. Present status of PACS in the University of Tsukuba (36) 89
Sakai, F., see Takizawa, M. (36) 119
Sakuma, S., Ishigaki, T. and Ikeda, M.
The goal of PACS in Nagoya University Hospital (36) 143
Saranummi, N., see Kiuru, A. (36) 65
Satoh, K., see Komori, M. (36) 77
Seppänen, S., see Paakkala, T. (36) 157
Setzu, M., see Diaz, G. (36) 185
Shan, S.C., see Zeyi, H. (36) 45
Sone, S., see Takizawa, M. (36) 119
Staf, P., see Olsson, S. (36) 93
Størmer, J.
Organizational aspects of IMAC introduction. Nordic model of radiological/clinical conference (36) 103
Stuart, D.G., see Reinking, R.M. (36) 1
Svedström, E., see Olsson, S. (36) 93

Takahashi, T., see Komori, M. (36) 77
Takeda, H., see Kuroda, C. (36) 147
Takizawa, M., Sone, S., Imai, S., Sakai, F., Imai, Y. and Maruyama, A.
Practical mini-PACS based on a hybrid video and digital network (36) 119
Taylor, H.G., see Ciampi, A. (36) 51
Terae, S., Miyasaka, K. and Irie, G.
Telephone line transfer using a local filing system in Hokkaido (36) 151
Theodoropoulos, G. and Loumos, V.
A compiled computer program for assisting the diagnosis of gastrointestinal helminths of humans and animals (36) 237
Thiffault, J., see Ciampi, A. (36) 51
Thorpe, C.W., Fright, W.R., Toop, L.J. and Dawson, K.P.
A microcomputer-based interactive cough sound analysis system (36) 33

Tohyama, Y., see Yachida, M. (36) 85
Toop, L.J., see Thorpe, C.W. (36) 33
Torisson, I., see Olsson, S. (36) 93
Traino, A.C., see Moretti, R. (36) 191

Viitanen, J., Kiuru, A., Heiska, K., Kärkkäinen, A. and Kormano, M.
Finnish PACS project (36) 99

Wittlich, F., see Hoehn-Berlage, M. (36) 9

Yachida, M., Maeda, T., Nishimoto, H., Yoshida, S. and Tohyama, Y.
PACS in Kochi Medical School Hospital (36) 85
Yoshida, S., see Yachida, M. (36) 85

Zeyi, H. and Shan, S.C.
A microcomputer system for collecting and processing physiological information about the masticatory system (36) 45
Zwart, A., see Huygen, P.E.M. (36) 223